K.Seethalakshmi<sup>1</sup> R. Pandi Selvam<sup>2</sup>

Turkish Online Journal of Qualitative Inquiry (TOJQI) Volume 12, Issue 7, July 2021:4299 - 4306

**Research Article** 

#### Lifetime Maximization Algorithms in Wireless Sensor Networks: A Survey

K.Seethalakshmi<sup>1</sup> R. Pandi Selvam<sup>2</sup>

#### Abstract

In network domain Wireless Sensor Networks have attracted great attention for the past two decades. WSNs area unit fashioned dynamically by many power-limited device nodes and therefore the manager nodes with long lasting power. Wireless Sensor Networks (WSN) is an essential piece of IoT, it makes billions of gadgets to share information for improving the natural client control. It have Sensors in the detecting unit estimates the actual boundaries in reality like temperature, pressure, moistness, vibration, acoustic sign, infrared, vehicular development, and so on It is regularly utilized progressively checking and following applications like military reconnaissance, horticulture, calamity the board, medical care observing, industry mechanization, stock control, and so on It is usually deployed in regions where human intervention is difficult or not possible. Energy consumption, information measure and memory are thought of as a significant issue in WSNs. This work aim is to be using a new CSA(Crow Search Algorithm)based clustering techniques has been proven the sensor node lifetime maximize and reduce the energy consumptions in WSN. With SC (Self Configurable) earlier deduction of CHs failure will reduce the data loss and leads to diminish the efficiency. Also using efficient encryption scheme based on CAT (Chaotic Arnold Transformation) algorithm to secure sensor nodes in Wireless Sensor Networks data transmission. The result of this work to improve the efficient data transmission and lifetime maximization in WSNs will conquer better performance than the existing algorithms and methods.

Keywords: Wireless Sensor Network (WSN), Clustering and Lifetime Maximization

#### I. INTRODUCTION

Today networking is occupying major role in global, main purpose of network is communication. In this communication people are like smart communication. So, I have chosen the research work in WSN. Nowadays the usage of Wireless Sensor Networks more and more. The rabid usage of WSNs make a major problem for network traffic, the traffic may occur for bad environmental condition, fault devices and security attacks, poor network design and subnet

<sup>&</sup>lt;sup>1</sup>Research Scholar, Department of Computer Applications, Alagappa University, Karaikudi, India.

<sup>&</sup>lt;sup>2</sup>Assistant Professor & Head, PG Department of Computer Science, Ananda College

<sup>(</sup>Affiliated toAlagappa University, Karaikudi), Devakottai, India.

<sup>&</sup>lt;sup>1</sup>seethajithu98@gmail.com <sup>2</sup>pandiselvamraman@gmail.com

#### Lifetime Maximization Algorithms in Wireless Sensor Networks: A Survey

and bandwidth hogs, because of this network traffic people cannot communicate smoothly. So, avoid this problem to focus the Wireless Sensor Nodes duties. The first think using the CSA based clustering techniques best methodology to choose the best cluster heads selection, second think maximize the sensor nodes lifetime and final think secure the sensor nodes in network traffic. This paper starts with this section, which gives a brief introduction of this paper. Section II describes related work as background study. The objective explores in Section III and Conclusions are discussed in Section IV.

#### **II. BACKGROUND STUDY**

#### 1. Wireless Sensor Network (WSN)

Wireless Sensor Network (WSN) is a framework less remote organization that is conveyed in an enormous number of remote sensors in an impromptu way that is utilized to screen the framework, physical or natural conditions. Sensor hubs are utilized in WSN with the locally available processor that oversees and screens the climate in a specific region. They are associated with the Base Station which goes about as a handling unit in the WSN System. Base Station in a WSN System is associated through the Internet to share information.



**Fig.1 Sensor Network Architecture** 

#### a) Sensor Network Architecture

Sensor Network Architecture is utilized in Wireless Sensor Network (WSN). It tends to be utilized in different spots like schools, clinics, structures, streets, and so forth for different applications like catastrophe the board, security the executives, emergency the board etc. There are 2 sorts of design utilized in WSN: Layered Network Architecture, and Clustered Architecture. These are clarified as following underneath. Layered Network Architecture utilizes two or three hundred sensor hubs and a solitary amazing base station. Organization hubs are coordinated into concentric Layers. It comprises of 5 layers and three cross layers. These are Application Layer, Transport Layer, Organization Layer, Information Link Layer and Actual Layer. The cross layers comprise of the accompanying Power Management Plane, Mobility Management Plane and Task Management Plane.



# Fig.2 Layered Network Architecture Layers

# b) Types of Wireless Sensor Networks

There are various kinds of sensor organizations like underground, submerged, earthbound and sight and sound WSNs and so on.

i) Terrestrial WSNs

These sorts of organizations comprise of hundreds or thousands of remote sensor hubs. These hubs can be sent in an unstructured or an organized way. The hubs are conveyed haphazardly in an unstructured mode; however they are kept inside the objective region.

As these are the 'earthly' sensor networks consequently they are over the ground and sun oriented cells can be utilized to control up these organizations. The energy can be rationed by limiting deferrals and by utilizing tasks of low obligation cycles and so forth

ii) Underground WSNs

These sensor networks are all the more expensive when contrasted with earthbound organizations. The types of gear utilized are costly and appropriate upkeep is required. These are viably used to screen the underground conditions accordingly their entire organization is underground yet to give the data to the base station, sink hubs are utilized which are available over the ground.

Issues are confronted while re-energizing the batteries of the underground sensor organizations and loss of sign can likewise happen because of significant degree of lessening in the underground climate.

iii) Submerged WSNs

Submerged remote sensor network framework involves sensor hubs and vehicles which are sent under the water. To assemble information from the sensor hubs, submerged vehicles are to be utilized. The long proliferation postponement and sensor disappointments are a major test to the submerged correspondence framework. The battery of these WSNs is likewise restricted and can't be re-energized; hence, various procedures are being created to settle this issue of energy utilization and preservation.

## iv) Multimedia WSNs

These sensor organizations can accumulate data as sound, video and imaging. The sensor hubs in these organizations are associated with cameras and amplifiers. They can track and screen various occasions happening and can keep a visual presentation of the occasions too. With the end goal of information pressure, recovery and relationship, these hubs are likewise interconnected with each other through a remote association.

#### Lifetime Maximization Algorithms in Wireless Sensor Networks: A Survey

As sound and visual information can likewise be communicated through these organizations subsequently they require maximum usage of force and high transmission capacity. Progressed methods of information handling and pressure are utilized in it.

v) Mobile WSNs

The versatile organization, as the name recommends, isn't fixed rather the sensor hubs can move from one spot to some other. They can be effectively interfaced with the climate around them. Their principle advantage is that they give better inclusion, prevalent channel limit and improved inclusion. These portable WSNs are more adaptable when contrasted with the other static sensor network frameworks.

#### c) Uses of Wireless Sensor Networks

There are various uses of WSNs in mechanical mechanization, traffic observing and control, clinical gadget checking and in numerous different regions. Some of uses are talked about underneath:

### i) Disaster Relief Operation

In the event that a region is accounted for to have been blasted from a type of disaster like fierce blaze, at that point drop the sensor hubs on the fire from an airplane. Screen the information of every hub and build a temperature guide to devise legitimate ways and strategies to conquer the fire.

### ii) Military Applications

As the WSNs can be sent quickly and are self coordinated consequently they are helpful in military tasks for detecting and checking agreeable or antagonistic movements. The front line reconnaissance should be possible through the sensor hubs to keep a beware of everything in the event that greater hardware, powers or ammo are required in the combat zone. The substance, atomic and organic assaults can likewise be identified through the sensor hubs.

An illustration of this is the 'marksman discovery framework' which can recognize the approaching fire through acoustic sensors and the situation of the shooter can likewise be assessed by preparing the distinguished sound from the amplifier.

# iii) Environmental Applications

These sensor networks have countless applications in the climate. They can be utilized to follow development of creatures, birds and record them. Observing of earth, soil, environment setting, water system and exactness agribusiness should be possible through these sensors. They can likewise utilize for the identification of fire, flood, quakes, and substance/organic episode and so on. A typical model is of 'Zebra Net'. The motivation behind this framework is to track and screen the developments and connections of zebras inside themselves and with different species moreover.

#### iv) Clinical Applications

In wellbeing applications, the incorporated checking of a patient should be possible by utilizing WSNs. The inside cycles and developments of creatures can be checked. Diagnostics should be possible. They likewise help in keeping beware of medication organization in clinics and in checking patients just as specialists.

An illustration of this is 'counterfeit retina' which helps the patient in identifying the presence of light and the development of items. They can likewise find articles and check singular things.

v) Home Applications

As the innovation is propelling, it is likewise advancing in our domestic devices for their smooth running and good exhibition. These sensors can be found in fridges, microwaves, vacuum cleaners, security frameworks and furthermore in water observing frameworks. The client can handle gadgets locally just as distantly with the assistance of the WSNs.

# 2. Clusters

Grouping is the main energy proficient method. In this procedure, the sensor hubs are coordinated into bunches named as groups. The normal hubs in the bunch are called as group individuals and a Cluster Head (CH) is chosen among them. The design of bunching in WSN is shown in Fig. 1. There are two sorts of traffic in grouped WSN: information transmission inside a bunch characterized as intra-cluster traffic and information transmission between bunches which is termed as between inter-cluster traffic. The group individuals sense this present reality boundaries and send the detected worth to its CH. The CH receives and totals information to eliminate repetitive information and communicate accumulated information to CH straightforwardly or by means of halfway CHs. The group individuals can't send the information straightforwardly to BS, it sends only to the CH and CH advances it to BS. The benefits of clustering are: energy utilization is diminished by improving transfer speed usage, decreased overhead, expanded availability, settled net-work geography, diminished deferral, viable burden adjusting and reduction in the size of the directing table. Then again, the hubs in WSN impart a few shared traits to a common PC organization, yet in addition show numerous qualities which are novel to it. The security administrations in a WSN ought to ensure the data imparted over the organization and the assets from assaults and trouble making of nodes. Enhancing the effectiveness of these organizations requires greater security to give uprightness, realness and secrecy of the information coursing through the organization. Encryption is perhaps the most widely recognized apparatuses used to give security administrations to WSNs. This examination work canters around the ideas of bunching and encryption models for WSN.

## **3. Lifetime Maximization**

Lifetime optimization provides info on however long all nodes during a network will operate, however it doesn't specify a collection of routing option as drawback constraints. In fact, for a calculated life, there could exit multiple routing alternatives. From them, our proposal selects the trail whose goal is that the decrease of the amount of hops between supply and sink. During this sense, though a priori totally different appropriate WSN routing schemes converge to the current goal quicker than the proposal bestowed here, the choice of a selected routing formula restricts the analysis into consideration to a selected case.

## a) Challenges in Lifetime Maximization of WSN

i) Coverage Maximization

- The sensors are to be repositioned in order to enhance their coverage.
- The criticalities of crucial covered targets are to be elevated in order to improve their coverage.

ii) Energy Minimization

- The activities of the sensors are scheduled and only the required numbers of sensors are to be kept ON while the others should be kept at SLEEP state to preserve their energy for future use.
- The movements of the mobile sensors are to be controlled to minimize the mobility energy.

### **III. LIFETIME MAXIMIZATION ALGORITHMS**

Pawan Singh Mehra et al. [1] proposed a fluffy based adjusted expense CH determination calculation (FBECS) is proposed which mulls over the remainder energy, farness from sink and the thickness of the hub in its area as contribution to Fuzzy Inference System. The trial results approve the exhibition of FBECS to its partners BCSA and LEACH based on better soundness period, draw out lifetime with load adjusting and enormous data sending to sink.

Safa'a S. Saleh et al. [2] suggested a LEACH (low energy versatile grouping progression) convention is quite possibly the most central works of WSN bunching. This work expects to upgrade LEACH by distinguishing a bunch head as indicated by the least level of devouring energy. The outcomes explain the capacity of this work to upgrade LEACH while delaying the lifetime and improving the presentation of WSN.

Bandi Rambabu et al. [3] proposed HABC-MBOA additionally wipes out the chance of bunch heads being over-burden with greatest number of sensor hubs, that outcome in fast passing of the sensor hubs during the arrangement of weak group head choice interaction. The recreation results affirmed that the quantity of alive hubs in the organization is resolved to be 18.92% better than the benchmarked bunch head determination draws near.

Tanvi Sood et al. [4] proposed Uniform Connectivity-based bunching protocol, called Lines-of-Uniformity based Enhanced-Threshold (LUET) to give energy-proficient inclusion in three-level heterogeneous WSN. This convention considers the hub's remainder energy and its nearness from both of the lines of consistency for letting down normal segregated hub include in WSN. This paper additionally proposes a revolution age based LUET variation, (LUET|R) that joins static age for beginning bunching adjusts until First-Node-Death to defeat the quick fall after the demise of the main hub. The re-enactment model shows the predominance of LUET and its variations over other set up grouping conventions as far as organization lifetime, powerproductivity, net passing rate, normal disconnected hubs and throughput.

Amin Shahraki et al. [5] conducted survey extensively existing WSN grouping procedures, their destinations and the organization properties upheld by those methods. In the wake of refining in excess of 500 bunching strategies, we extricate around 215 of them as the main ones, which we further survey, categorize and arrange dependent on grouping goals and furthermore the organization properties like versatility and heterogeneity. Likewise, measurements are given dependent on the picked measurements, giving profoundly helpful bits of knowledge into the plan of bunching procedures in WSNs.

Vrajesh Kumar Chawra et al. [6] designed the arrangement of the heap adjusted bunches of the sensor hubs is extremely consuming exploration issue. A large portion of the current hub bunching plans experience the ill effects of energy-opening and non-uniform burden task issues. These issues influence the organization lifetime of the WSN harshly. To take care of these issues, this paper proposed an improved Mimetic calculation based bunch head choice plan and furthermore a heap adjusted group arrangement plot.

Amrendra Singh Yadav et al. [7] examined a portion of the calculations for directing in a Wireless Sensor Network (WSN) with their difficulties and the inspiration driving proposing the Section Based Hybrid Routing Protocol (SBHRA) for WSN utilizing Artificial Bee Colony. The plan of the convention is particularly accomplished for the organization that has been isolated into areas and utilizations mixture steering for information transmission in Heterogeneous climate. The test results show that SBHRA gives strength periods that expanded by 55.88% and life season of ordinary hub is expanded by 64.04% as contrasted and Enhanced Stable Election Protocol (E-SEP) convention. The objective is to improve the throughput, security and the lifetime of the organization.

Qingzhi Liu et al. [8] advised a bunch based stream control approach in half breed SDNs. Our methodology is mixture as in it exploits disseminated heritage directing and incorporated SDN steering. Also, it makes a compromise between the granularity of stream control and the correspondence overhead prompted by the SDN regulator. The methodology parcels an organization into bunches with least number of boundary hubs. Rather than dealing with the individual progressions of every hub, the SDN regulator just oversees approaching and cordial traffic streams of groups through line hubs, while the streams inside each bunch are constrained by a circulated heritage WSN directing calculation. Our evidence of-idea executions in both programming and equipment show that our methodology is productive concerning decreasing the quantity of hubs that should be overseen and the quantity of control messages. In contrast with benchmark arrangements with and without bunching, our answer diminishes correspondence costs for stream design in a SD-WSN in any event by 27% and at most by 88% separately, immediately nor conveyance rate.

Siron Anita Susan T et al. [9] inspected about different KMS groupings and reviews late KMS which are material for bunch based WSN. The itemized conversations and correlation projected by this review will be valuable to continue further in this examination course.

Qiang Zhanga et al.[10] intend a Trust-based Dynamic Slicing Mechanism (TDSM) to improve the presentation of WSN. By building up a trust assessment instrument, TDSM figures the trust worth of every hub in the comparing time stretch, and as per this trust esteem, we do Cluster Head (CH) determination and forestall the untrusted hub from being chosen as a CH. In the mean time, a cutting plan is examined and the detecting information is separated into various cuts as per the trust of hub. The recreation results show that TDSM can safeguard against different assaults and advance the presentation of WSNs.

## **IV. CONCLUSION**

In this paper, we reviewed recent literatures for real time communications in WSN, how to maximizing the lifetime of sensor nodes in WSN. The major issues are sensor nodes energy failure, high power consumption and Overloading. Clustering is the most important energy efficient technique used to increase the energy consumption to prolonging the network lifetime. In order to improve the efficiency, encryption scheme based on CAT with CSA-SC algorithm for secure data transmission and lifetime maximization in WSNs will conquer better performance than the existing algorithms and methods.

## References

- Pawan Singh Mehra, Mohalammmad Najmud Doja, Bashir A, "Fuzzy based enhanced cluster head selection (FBECS) for WSN", Journal of King Saud Universit –Science, pp. 390–401, 2020.
- [2] Safa'a S. Saleh, Tamer F. Mabrouk, Rana A. Tarabishi, "An improved energy-efficient head election protocol for clustering techniques of wireless sensor network", Egyptian Informatics Journal, 2020.
- [3] Bandi Rambabu, A. Venugopal Reddy, Sengathir Janakiraman, "Hybrid Artificial Bee Colony and Monarchy Butterfly Optimization Algorithm (HABC-MBOA)-based cluster head selection for WSNs", Journal of King Saud University– Computer and Information Sciences, 2019.
- [4] Tanvi Sood, Kanika Sharma, "LUET: A novel lines-of-uniformity based clustering protocol for heterogeneous-WSN for multiple-applications", Journal of King Saud University Computer and Information Sciences,2020.
- [5] AminShahraki AmirTaherkordi, ØysteinHaugen, Frank Eliassen, "Clustering objectives in wireless sensor networks: A survey and research direction analysis", Computer Networks Volume 180,2020.
- [6] Vrajesh Kumar Chawra, Govind P. Gupta, "Load Balanced Node Clustering scheme using Improved Memetic Algorithm based Meta-heuristic Technique for Wireless Sensor Network",pp.468-476,2020.
- [7] Amrendra Singh Yadav, Kumari Khushboo, Vikalp Kumar Singha , Dharmender Singh Kushwahaa, "Increasing Efficiency of Sensor Nodes by Clustering in Section Based Hybrid Routing Protocol with Artificial Bee Colony", Published by Elsevier, 2020.
- [8] Qingzhi Liu, Long Cheng, Renan Alves, Tanir Ozcelebi, Fernando Kuipers, Guixian Xu, Johan Lukkien, Shanzhi, "Cluster-based flow control in hybrid software-defined wireless sensor networks, Elsevier,2020.
- [9] Siron Anita Susan T, B.Nithya, "Cluster Based Key Management Schemes in Wireless Sensor Networks: A Survey", Elsevier, 2020.
- [10] Qiang Zhanga, Xiaowu Liu, Jiguo Yub, , Xiaohan Qia, "A Trust-based Dynamic Slicing Mechanism for Wireless Sensor Networks", Elsevier, 2020.